

PWS ID: 5282002

2018 Annual Drinking Water Quality Report

The Evansville Water Department is a public utility owned and operated by the City of Evansville. More information can be found at www.evansvillegov.org under Evansville Water & Sewer Utilities.

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien.

What is a Water Quality Report?

To comply with state and federal regulations, The Evansville Filtration Plant issues a report annually describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and the awareness of the need to protect your drinking water sources. If you have any questions about this report or your drinking water, please call 812-428-0568.

What's in this report?

Answers to questions such as:
Where does my water come from?
How do we treat the water?
What is in my drinking water?
Where can I find additional information?

Where does Evansville's drinking water come from?

The City of Evansville's drinking water comes from the Ohio River. The Evansville filtration plant is located at mile marker 791.5 in the Highland-Pigeon Watershed of the Ohio. All stream and urban runoff located within this watershed drains into the Ohio River. For more detailed information on the Highland-Pigeon Watershed, please visit the USEPA's National Assessment Database at www.epa.gov/waters/305b/index.html.

- The beginning of the Ohio River is Pittsburgh, Pennsylvania where the Monongahela and Allegheny Rivers converge.
- The Ohio River is 981 miles long.
- It borders six states including: Pennsylvania, West Virginia, Ohio, Kentucky, Indiana, and Illinois.
- The Ohio ends in Cairo, Illinois where it flows into the Mississippi River.
- Almost 10 percent of the U.S. population lives within the Ohio River Basin.

How does the Evansville Water Department treat our drinking water?

Raw, untreated water flows into an intake structure located on the Ohio River. As the water enters the intake structure, it passes through screens that remove large debris. The untreated water is then pumped into the plant passing through an in-line gas chromatograph (the INFICON CMS-5000), an instrument capable of detecting spills that range from petroleum based compounds to volatile organics.

Aluminum polymer coagulants are added so suspended particles within the water bond together until they become large enough to settle out of the water. Caustic is added to control the pH of the water so that it is non-corrosive to plumbing. Fluoride is added to help protect our teeth. If necessary, carbon can be added to the water to remove various organic contaminants in the water and for taste and odor control. Chlorine, a disinfectant, is used to kill pathogens (disease causing organisms).

After the water travels through the settling basins, it enters the dual media filter beds. Ammonia is added to form chloramines, providing adequate residual disinfection throughout the distribution system. The filters remove any remaining suspended solids and the filtered or finished water is then stored temporarily in our clear wells which are underground reservoirs.

The last step is for the water to be pumped out of the clear wells and into the distribution system as needed to meet the demands of the customer. In 2018, the average demand was approximately 22.5 million gallons per day (MGD) of water.

Table Definitions

AL (Action Level) - A required process intended to reduce the level of a contaminant

MCL (Maximum Contaminant Level) - The highest level of a contaminant that is allowed in drinking water MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLGs (Maximum Contaminant Level Goal) - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL (Maximum Residual Disinfectant Level) & MRDLG (Maximum Residual Disinfectant Level Goal) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that the addition of a disinfectant is necessary for the control of microbial contaminants.

BDL Below Detectable Limit

N/A Not Applicable

NTU (Nephelometric Turbidity Units) - The standard measurement of turbidity

ppb (parts per billion)

1 microgram in 1 liter

Approximately 1 drop in 10,000 gallons

ppm (parts per million)

1 milligram in 1 liter

Approximately 1 drop in 10 gallons

pCi/L (picocuries per liter) - Measurement of the natural rate of disintegration

TTHMs (Total Trihalomethanes) - Disinfection by-product of chlorination

TT (Treatment Technique) - A required process intended to reduce the level of a contaminant in water

Substances Expected to be in Drinking Water

To insure that tap water is safe to drink, USEPA prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at (800) 426-4791.

The sources of drinking water, (both tap and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife are commonly found in surface water sources.

Pesticides and herbicides, also come from a variety of sources such as agriculture, storm water runoff, and residential uses.

Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming wastes also are found in source water.

Radioactive materials, can be naturally occurring or the result of oil and gas production and mining activities.

Information about Lead in Your Drinking Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Evansville Water and Sewer Utility is responsible for providing high quality drinking water, but cannot control the variety of materials used in private residence plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.

Beginning January, 2002, our water system was required to constantly monitor effluents from all filter beds using in-line Turbidimeters. Water Hardness (Ca, Mg) – Evansville Water's average Total Hardness concentration for 2018 was 117 ppm (6.9 gr/gal).

What is in my drinking water?

	TAVE TO	ALC: U	Regulated Con	taminants		1, 124	SHALL SHALL
Substance (unit)	Year	MCL	MCLG	Average	Range	Violation	Source
	Tested			Detected	(low-high)		
Atrazine (ppb)	2018	3	3	0.19	BDL-1.98	No	Herbicide Runoff
Barium (ppm)	2018	2	2	BDL	BDL	No	Erosion of natural deposits, discharge of drilling wastes
Fluoride (ppm)	2018	4	4	0.62	0.31-0.80	No	Chemical addition for improving dental health
Haloacetic Acids (HAAs) (ppb) Running Annual Avg	2018	60	NA	29.4	20.6-35.0	No	By-product of drinking water chlorination
Nitrate (ppm)	2018	10	10	2.1	0.9-3.5	No	Runoff from fertilizer use, septic tanks
TTHM's (ppb) Running Annual Avg	2018	80	NA	39.9	24.7-66.2	No	By-product of drinking water chlorination
Lead (ppb) ¹	2018	AL=15	0	90% = 1	<1-1	No	Corrosion of household plumbing
Copper (ppm)²	2018	AL=1.3	<1.3	90 % = 0.025	< 0.025-0.078	No	Corrosion of household plumbing
Total Coliform Bacteria ³ (presence / Absence)	2018	5% or 6 Positive Annual	NA	0.027% Annual	0-0.027%	No	Naturally present in the environment ³
Turbidity (NTU) ⁴	2018	Π5	NA	0.04	0.03-0.08	No	Soil Runoff
	1000		Disinfect	ant		4.4	
Substance (unit)	Year Tested	MRDL	MRDLG	Amount Detected	Range (low-high)	Violation	Source
Total Chlorine (ppm) ⁶	2018	4	4	3.1	3.0-3.5	No	Residual Disinfection
Total Organic Carbon (TOC) ⁷							
Substance (unit)	Year Tested	MRDL	MRDLG	Amount Detected	Range (low-high)	Violation	Source
TOC River (ppm)	2018	TI	NA	4.1	2.6-6.7	No	See Below
TOC Plant (ppm)	2018	ТТ	NA	2.2	1.3-3.3	No	See Below
Unregulated Co	ontamina	ants ⁸				To delegate	1957
Substance (unit)	Year Tested	Amount Detected	Strontium (ppb)	200	<u>1,4 Dioxane</u>	0.07	All other unregulated
Nickel (ppb)	2018	BDL	Molybdenum(ppb)	BDL ,	<u>Chromium</u>	<u>7.0</u>	UCMR3 contaminants
Sodium(ppm)	2018	23.5	<u>Chromium VI</u> (ppb)	<u>0.06</u>	<u>Cobalt</u>	BDL	were reported
Sulfate (ppm)	2018	55.0	Vanadium (ppb)	BDL	<u>MTBE</u>	BDL	Units (ppb)

- ¹ Samples are collected annually and in 60 homes throughout the city every third year (last 2018). No samples were over the action level for lead. All 60 samples are listed from lowest to highest. The 90th percentile result means 90% of results are below the # (simply another way of saying that 9% scored above and 90% scored below (the other 1% being the number 90)). So out of the 60 sample results the 90% result is the 54th highest out of the 60 sample results.
- ² Samples are collected annually and in 60 homes throughout the city every third year (last 2018). No samples were over the action level for Cu.
- ³ A group of relatively harmless bacteria that live in large numbers in the intestines of man and animals. Their presence is an indicator of possible contamination from human or animal waste. On average 122 samples were collected throughout the city each month and tested for the presence or absence of total coliform bacteria. Only 4 samples out of 1457 tested positive for the year and the follow up samples were negative.
- ⁴Turbidity is the measure of the cloudiness of the water. It is a good indicator of the effectiveness of our filtration system. Combined effluent turbidity is measured every four hours. Combined effluent turbidity must be <0.3 NTU in 95% of monthly measurements. All water was completely within the required limits.
- ⁶Total chlorine includes chloramines. Chloramines have the same effect as chlorine for typical water uses and both must be removed from water used in kidney dialysis and fish tanks or aquariums. Please contact your doctor regarding kidney dialysis. You may contact your pet store or the Evansville Filtration Plant regarding fish or other aquatic life.
- ⁷A composite measurement of organic constituents. It is used to track the overall organic content of the water. This is an important measure for surface waters, such as the Ohio River, because it correlates with the production of disinfection by-products during chlorination.
- ⁸ Analysis of contaminants that the EPA is using for determination of future regulations

We are pleased to report that during the past year the water delivered to your home or business complied with, or was better than, all state and federal drinking water standards. The EPA has established pollutant-specific minimum testing schedules; however, we monitor many contaminants on a daily basis. These include total chlorine, TTHM's, TOC's, nitrate, fluoride, and total coliform bacteria. Atrazine is monitored daily during the spring and summer planting & growing months. Turbidity is monitored continuously and recorded every five minutes around the clock.

BDL = below detectable limits

Evansville Water & Sewer Utility Water Filtration Plant 1301 Waterworks Road Evansville, IN 47713

Special Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.

Additional Resources

The USEPA Office of Water (http://www.epa.gov/ebtpages/water.html), the USEPA Office of Ground Water and Drinking Water (epa.gov/safewater), and the Center for Disease Control and Prevention (www.cdc.gov) websites provide a substantial amount of information on many issues relating to water resources, water conservation, and public health.

The Indiana Department of Environmental Management also has a website (www.in.gov/idem) that provides complete and current information on water issues in our own state.

The Ohio River Valley Sanitation Commission (ORSANCO) (www.orsanco.org), located in Cincinnati, OH, is a wealth of information on the Ohio River and its conditions.

About This Report

This report contains the results of contaminants detected as well as testing parameters. For a complete listing of all monitored contaminants and results, please send a request to **Drinking Water Quality Manager thall@ewsu.com** or call **(812) 428-0568**.

Need Additional Help?

For 24 hour service (reporting broken water mains call (812) 421-2130). For Boil Advisory status information-check City website – (www.Evansville.in.gov) - under Water & Sewer Utility – Boil Orders.

Questions or Comments?

If you have any questions or comments regarding Evansville's Water System, you can reach the **Drinking Water Quality Manager (Timothy Hall R.E.M.) at (812) 428-0568.** You are also welcome to attend any Evansville Water and Sewer Utility Board meetings which are held every two weeks on Tuesday afternoons at 1:30 pm in Room 307 of the Civic Center located at 1 NW Martin Luther King Jr. Blvd, Evansville, IN 47708.